



Using MVC with Swing Components




**Georgia
Tech**






Jumping Ahead a Bit...

- We're going to cover a specific architectural approach to building UI components
- *Model-View-Controller*
- Classic architecture from Smalltalk 80
 - Model: data structures that represent the component's state
 - View: object responsible for drawing the component
 - Controller: object responsible for responding to user input
- Why talk about it now?
- Swing optionally allows a modified version of MVC as a way for building components
- I'd like you to use this approach for Homework #2



Some Swing History


- Remember from earlier in class:
 - To create a new component, subclass `JComponent`
 - Implement `paintComponent()` to do all of the drawing for your component
- Nice, easy way to create components
- Still works fine
- But, makes some things very hard:
 - How would you implement a new look-and-feel?
 - Components' drawing code is hard coded into them.
 - Even if you had a big switch statement and implemented several look and feels, still doesn't help you if a *new* look and feel comes along.




Some Swing History (cont'd)


- Swing has a *pluggable look and feel* architecture (PLAF)
- Supports Windows, Mac, GTK, plus several Java-only LAFs
- To make these easier to use, many Swing components have factored their implementations in a slightly different way
 - Separation of the underlying component data from its look and behavior
- Allows you to create *just* a new look-and-feel for a component and easily plug it in to work with the core component data






Component Internal Architecture






Swing MVC Overview

- *Model*: custom class that contains all of the internal state of a component
- *UI*: custom class that handles user input events, and painting the component
 - Subsumes both the View and Controller from the classic MVC architecture
- These two classes are *loosely-coupled*
 - They communicate with each other through events
 - E.g., when something in the model updates, it sends a `ChangeEvent` to whatever UI is associated with it.
 - UI then calls `repaint()` to tell the `RepaintManager` to schedule it for redrawing.



Swing MVC Overview


- Application programmers typically never see the UI or the Model classes
 - Used purely as an internal implementation feature of the component
- Requires a bit of structure and boilerplate code to make things work right.
- Resources:
 - Short overview article: *MVC Meets Swing*, linked off class website
 - Book: last chapter covers creating new Swing components using this architecture



Step 1: Create Your Model Class

- Model: responsible for storing the state of your component
- Reuse an existing model if one is suitable; create your own if not
- 1. Create an interface for your model and an implementation class, if you're defining a new one
 - Decide on the data structures you'll need to track, and create getter/setter functions
 - Called *Properties* if they match the standard Java-style standards
- 2. Send `PropertyChangeEvent`s (or just `ChangeEvent`s) when data in the model change
 - This means you'll need to keep a list of `PropertyChangeListener`s (or just `ChangeListener`s), and provide methods for adding and removing listeners
 - `EventListenerList` can help with this
- Be careful: the model should *only* contain core data structures, *not* data that's only about the visual presentation of that data
 - Example: a Scrollbar
 - Minimum, maximum, and current values are model properties (they have to do with actual data values, not display)
 - Whether tick marks are shown, labels, etc., are visual properties, and don't belong in the model (they're only about display, not the actual data)

Step 2: Create an Abstract UI Class




- This is an abstract superclass to be shared by all LaFs for your new component
- Will be the superclass of all UIs that are “compatible” with your new component (for this phase of the project, there will be only one class that subclasses it)
- Always follows the same basic format:

```
import javax.swing.plaf.ComponentUI;
```


```
public abstract class NotepageUI extends ComponentUI {  
    public static final String UI_CLASS_ID = “NotepageUI”;  
}
```

Step 3: Create the Actual UI Class




- 1. Extend your abstract UI class
- 2. Implement public void paint(Graphics g, JComponent c)
 - Your component will automatically delegate its drawing to your UI's paint() method
- 3. Implement any interfaces you need in order to respond to input events
 - Example: if your component must respond to the mouse, have your UI class implement MouseListener. You'll tell the component to send any mouse events to your UI to be handled there.
- 4. Draw yourself correctly given your current size
 - Recall that your parent component may resize you! In your painting code, use the current size (getWidth()/getHeight()) and draw in the space allotted to you.
- 5. Implement a bit of boilerplate code for UI management
 - public static ComponentUI createUI(JComponent c);
 - Create and return an instance of your UI class
 - public void installUI(JComponent c);
 - Register 'this' UI instance as the listener for the component's input events
 - public void uninstallUI(JComponent c);
 - Unregister 'this' UI instance as the listener for the component's input events

Step 4: Create the Component Itself




- 1. Design the component's external API
 - These are the methods that application programmers see and use
 - Many will just forward to the underlying model or the UI
- 2. Make your component a listener for the Model's ChangeEvents or PropertyChangeEvents
 - Generally need to call repaint() whenever the model is updated
- 3. Send PropertyChangeEvents if *the component's* internal state changes
 - Other components might be listening to you--send PropertyChangeEvents if anything component-specific changes
- 4. Implement some boilerplate methods to register models and UIs
 - public void setUI();
 - public void updateUI();
 - Used to set the UI, and change it on the fly
 - public String getUIClassID();
 - Should return whatever the UI_CLASS_ID string is for "compatible" UIs for this component
 - public void setModel();
 - public Model getModel();
 - Used to set and return the model. When the your model is set, your component should register itself as a listener for the model's change events.




Step 5: Register your UI with Swing's UIManager

- Need to tell the UIManager about the specific UI you want to use
- Typically do this early in the application's main() routine:


```
public static void main(String[] args) {  
    UIManager.put(PhotoUI.UI_CLASS_ID, "BasicNotepageUI");  
    // ... other stuff here ...  
}
```



This string serves as the unique token identifying all different UIs that work as NotepageUIs




This string names the class that implements the specific look-and-feel UI you want to use in this application



Component Internal Architecture

JComponent implements ChangeListener




In setModel() method of Component:


- Component registers itself as a ChangeListener for the model.

Whenever ChangeEvent is received from model:

- Component calls repaint() to cause itself to be redrawn.



Component Internal Architecture



In installUI() method:


- UI sets itself up as mouse/keyboard/etc. listener for the component.
- When user events come in, UI updates the model by calling out to the component.

UI does *not* have a reference to the model, but accesses it indirectly through the Component.

In paint() method:

- Component is passed in to paint()
- Ask component for data that needs to be drawn


UI does *not* have a reference to the model, but accesses it indirectly through the Component



Step 3 (example)


```
public class BasicNotepageUI extends NotepageUI implements MouseListener {
    public static ComponentUI createUI(JComponent c) {
        return new BasicNotepageUI();
    }
    public void installUI(JComponent c) {
        ((NotepageComponent) c).addMouseListener(this); // we'll handle mouse events for the Notepage component
    }
    public void uninstallUI(JComponent c) {
        ((NotepageComponent) c).removeMouseListener(this);
    }
    public void paint(Graphics g, JComponent c) {
        // do painting for the component here!
    }

    // implement the various MouseListener methods...
}
```




Step 4 (Example)

```
public class NotepageComponent extends JComponent implements ChangeListener {
    NotepageModel model;
    public NotepageComponent() {
        setModel(new NotepageModel());
        updateUI();
    }
    public setModel(NotepageModel m) {
        if (model != null)
            model.removeChangeListener(this);
        model = m;
        model.addChangeListener(this);
    }
    public NotepageModel getModel() {
        return model;
    }
    public void setUI(NotepageUI ui) { super.setUI(ui); }
    public void updateUI() {
        setUI((NotepageUI) UIManager.getUI(this));
        invalidate();
    }
    public String getUIClassID() { return NotepageUI.UI_CLASS_ID; }
}
```



Common Problems

- Exceptions at startup time
 - Make sure the UIManager registration is done before you use the component
- Components aren't being repainted all the time
 - Make sure you're registered for change events, and are calling repaint() whenever anything changes
- Components come up at weird sizes
 - Your component should provide a minimumSize and preferredSize when it is requested. If you don't do this, your parent may set your size to 0



How everything fits together...

- Let's look at the complete cycle, from a mouse event to draw a line to how that line gets drawn on the screen:

